Templates

Ember utilise handlebars pour la partie templates.

Hamdlebars utilise comme beaucoup d'autres moteurs de templates les doubles accolades {{}} pour faire appel aux expressions.

Affichage de variables

```
Hello, <strong>{{firstName}} {{lastName}}</strong>!
```

Cette utilisation suppose que les propriétés **firstName** et **lastName** aient été définies dans le contrôleur associé :

```
import Controller from '@ember/controller';

export default Controller.extend({
  firstName: 'Trek',
  lastName: 'Glowacki'
});
```

Block expressions

Les blocks expressions commencent par **{#** et se terminent par **/}**

Itération sur une liste d'éléments {#each}

```
<ul>
  {{#each people as |person|}}
    <li>Hello, {{person.name}}!</li>
  {{/each}}
</ul>
```

Itération avec utilisation de l'index

```
<ul>
  {{#each people as |person index|}}
    <li>Hello, {{person.name}}! You're number {{index}} in line</li>
  {{/each}}
</ul>
```

Itération avec une éventuelle liste vide

```
{{#each people as |person|}}
  Hello, {{person.name}}!
{{else}}
  Sorry, nobody is here.
{{/each}}
```

Conditions {#if}

Condition sur une seule ligne

```
<div>
  {{if isFast "zoooom" "putt-putt-putt"}}
</div>
```

Condition multi-lignes

```
{{#if person}}
  Welcome back, <b>{{person.firstName}} {{person.lastName}}</b>!
{{/if}}
```

else

```
{{#if person}}
  Welcome back, <b>{{person.firstName}} {{person.lastName}}</b>!
{{else}}
  Please log in.
{{/if}}
```

elseif

```
{{#if isAtWork}}
  Ship that code!
{{else if isReading}}
  You can finish War and Peace eventually...
{{/if}}
```

unless

unless est la négation du if (if not)

```
{{#unless hasPaid}}
  You owe: ${{total}}
{{/unless}}
```

From:
http://slamwiki2.kobject.net/ - **SlamWiki 2.1**

Permanent link:
http://slamwiki2.kobject.net/richclient/emberjs/templates?rev=1516325794

Last update: **2019/08/31 14:38**